Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of the claims:

1. (currently amended) A method for scanning media comprising:

positioning a medium having a target surface proximate to a surface of a scanner;

and

<u>interposing</u>providing a focal point shifter interposed between said surface of said scanner and said target surface; and

refractively shifting a focal point of light of the scanner from a point proximate to said scanner surface to a point proximate to said target surface.

2. (canceled)

minimize interference effects.

- 3. (original) The method of claim 1 further comprising: pressing said target surface toward a first surface of said shifter.
- 4. (original) The method of claim 1 further comprising: shaping said shifter such that it operates as a lens.
- 5. (original) The method of claim 1 further comprising:
 maintaining a separation between said shifter and said surface of said scanner to
- 6. (original) The method of claim 1 further comprising:

maintaining a separation between said shifter and said target surface to minimize interference effects.

7. (currently amended) A device for use in the scanning of media comprising: means for shifting a focal point of a scanner, the means interposed between a scanner surface and a target surface; and

means for orienting a medium to said shifting means, wherein said shifting means refractively moves the intended scanning area of a scanner from an area proximate to said scanner surface to an area proximate to said target surface.

- 8. (canceled)
- 9. (original) The device of claim 7 wherein said shifting means is incorporated in a template.
 - 10. (original) The device of claim 7 further comprising:compression means to press the target surface and said shifting means together.
- 11. (original) The device of claim 7 wherein said shifting means is shaped to be slideably insertable into a media holder bringing the target surface closer to said shifting means.
- 12. (original) The device of claim 17 wherein said shifting means is shaped to conform with said target surface.
 - 13. (original) The device of claim 7 further comprising:means for keeping said shifting means from touching the scanner surface.
- 14. (original) The device of claim 7 further comprising: means for keeping said shifting means from touching the target surface.

- 15. (original) The device of claim 7 further comprising:
- a backlight positioned on an opposite side of said medium from said scanner surface.
 - 16. (currently amended) The system for scanning media comprising:
 - a scanner to scan a target surface of a medium; and
- a focal point shifter interposed between a surface of the scanner and the target surface, wherein said shifter refractively moves an optimal point from a point proximate to said scanner surface to a point proximate to said target surface.
 - 17. (canceled).
- 18. (original) The system of claim 16 wherein said shifter is part of a media template.
 - 19. (original) The system of claim 16 further comprising:
 - a lid that closes over the medium pressing the target surface toward the shifter.
- 20. (original) The system of claim 16 wherein a surface of said shifter is adapted to match said target surface.
- 21. (original) The system of claim 16 wherein said shifter is slideably insertable into a media template.
 - 22. (original) The system of claim 16 further comprising:
- at least one gasket to prevent the shifter from maintaining contact with the scanner surface.

23. (original) The system of claim 16 further comprising:

at least one gasket to prevent the shifter from maintaining contact with the target surface.